

Statistical activity: 21203

Controls and autosums in questionnaire: Livestock farming. Poultry

Code of the questionnaire: 14602023	ls submitted: 1st quarter – 10.04.2023; 2nd quarter – 10.07.2023; 3rd quarter – 10.10.2023; 4th quarter – 10.01.2024
Periodicity: Quarterly	
	p. 1/4

Statistics Estonia guarantees the full protection of data submitted.

A field with a grey background has been automatically filled online. The data in this field cannot be changed, they are visible after saving. If the data you entered are inconsistent internally or with the prefilled data, an error message appears upon checking. If errors (warnings) appear, check the data carefully and make corrections. In the case of warnings (if you are sure that the data you entered are correct), click on "Confirm warnings" button and confirm the questionnaire.

Mandatory fields in the questionnaire are marked with a red asterisk.

CONTROLS

Controls in table 1. QUARTERLY DATA ON POULTRY

Control ID	Control formula	Clarification	Type of error
24182	KUI({L_LIND401_Q1}>0), SIIS({L_LIND301_Q1}>0)	Empty field. If hen egg production is indicated (Table 1 row 3 column 1), the number of laying hens should also be indicated (Table 1 row 2 column 1).	Warning
24183	KUI({L_LIND401_Q2}>0), SIIS({L_LIND301_Q2}>0)	Empty field. If hen egg production is indicated (Table 1 row 3 column 2), the number of laying hens should also be indicated (Table 1 row 2 column 2).	Warning
24184	KUI({L_LIND401_Q3}>0), SIIS({L_LIND301_Q3}>0)	Empty field. If hen egg production is indicated (Table 1 row 3 column 3), the number of laying hens should also be indicated (Table 1 row 2 column 3).	Warning
24185	KUI({L_LIND401_Q4}>0), SIIS({L_LIND301_Q4}>0)	Empty field. If hen egg production is indicated (Table 1 row 3 column 4), the number of laying hens should also be indicated (Table 1 row 2 column 4).	Warning
24186	KUI({L_LIND301_Q1}>0), SIIS({L_LIND401_Q1}>0)	Empty field. If the number of laying hens is indicated (Table 1 row 2 column 1), hen egg production should also be indicated (Table 1 row 3 column 1).	Warning
24187	KUI({L_LIND301_Q2}>0), SIIS({L_LIND401_Q2}>0)	Empty field. If the number of laying hens is indicated (Table 1 row 2 column 2), hen egg production should also be indicated (Table 1 row 3 column 2).	Warning
24188	KUI({L_LIND301_Q3}>0), SIIS({L_LIND401_Q3}>0)	Empty field. If the number of laying hens is indicated (Table 1 row 2 column 3), hen egg production should also be indicated (Table 1 row 3 column 3).	Warning
24189	KUI({L_LIND301_Q4}>0), SIIS({L_LIND401_Q4}>0)	Empty field. If the number of laying hens is indicated (Table 1 row 2 column 4), hen egg production should also be indicated (Table 1 row 3 column 4).	Warning
24191	KUI({L_LIND401_Q2}>0 JA {L_LIND301_Q2}>0 JA ROUND(1000*{L_LIND401_Q2}/{L_LIND301_Q2})<=1000 0), SIIS({PMSELGITUS2}!=NULL)	Please make sure that the data on hen egg production (Table 1 row 3 column 2) and the quarterly average number of laying hens (Table 1 row 2 column 2) are correct, the average yield per laying hen in one quarter is between 10 and 90 eggs. If egg production differs from normal, write an explanation in the row EXPLANATION.	Error
24192	KUI({L_LIND401_Q3}>0 JA {L_LIND301_Q3}>0 JA ROUND(1000*{L_LIND401_Q3}/{L_LIND301_Q3})<=1000 0), SIIS({PMSELGITUS3}!=NULL)	Please make sure that the data on hen egg production (Table 1 row 3 column 3) and the quarterly average number of laying hens (Table 1 row 2 column 3) are correct, the average yield per laying hen in one quarter is between 10 and 90 eggs. If egg production differs from normal, write an explanation in the row EXPLANATION.	Error

Livestock farming. Poultry

Code of the questionnaire: 14602023

 $Is \ submitted: \ 1st \ quarter \ -\ 10.04.2023; \ 2nd \ quarter \ -\ 10.07.2023; \ 3rd \ quarter \ -\ 10.10.2023; \ 4th \ quarter \ -\ 10.01.2024; \ 4th \ quarter \ quar$

p. 2/4

24193	KUI({L_LIND401_Q4}>0 JA {L_LIND301_Q4}>0 JA ROUND(1000*{L_LIND401_Q4}/{L_LIND301_Q4})<=1000 0),SIIS({PMSELGITUS4}!=NULL)	Please make sure that the data on hen egg production (Table 1 row 3 column 4) and the quarterly average number of laying hens (Table 1 row 2 column 4) are correct, the average yield per laying hen in one quarter is between 10 and 90 eggs. If egg production differs from normal, write an explanation in the row EXPLANATION.	Error
25957	{L_LIND401}>={L_LIND402}	Inconsistent data. Hen egg production (Table 1 row 3 column 5) cannot be smaller than hen egg production from laving hens (Table 1 row 3 1 column 5).	Error
25959	KUI({L_LIND402}>0), SIIS ({L_LIND201}>0)	Empty field. If hen egg production from laying hens must also be indicated (Table 1 row 3_1 column 6), the average annual number of laving hens also be indicated (Table 1 row 2 column 6).	Error
25976	KUI ({L_LIND201}>0),SIIS ({L_LIND402}>0)	Empty field. If the annual average number of laying hens has been indicated (Table 1 row 2, column 6), hen egg production from laying hens must also be indicated (Table 1 1 row 3_1 column 6).	Error
25977	KUI({L_LIND402}>0 JA {L_LIND201}>0) JA ((ROUND({L_LIND402}/ ({L_LIND301_Q1}*91+{L_LIND301_Q2}*91+{L_LIND301_ Q3}*92+{L_LIND301_Q4}*92)/365)>=60 JA ROUND({L_LIND402}/ ({L_LIND301_Q1}*91+{L_LIND301_Q2}*91+{L_LIND301_ Q3}*92+{L_LIND301_Q4}*92)/365)<=310)), SIIS ({PMSELGITUS}!=NULL)	Please make sure that hen egg production from laying hens (Table 1 row 3_1) and annual average number of laying hens (Table 1 row 2 column 5) is correct, average egg production per laying hen is between 60 and 310 eggs. If egg production differs from normal, write an explanation in the row EXPLANATION.	Error
28335	KUI({L_LIND401_Q1}>0 JA {L_LIND301_Q1}>0 JA (ROUND(1000*{L_LIND401_Q1}/{L_LIND301_Q1})<=100 00)),SIIS({PMSELGITUS1}!=NULL)	Please make sure that the data on hen egg production (Table 1 row 3 column 1) and the quarterly average number of laying hens (Table 1 row 2 column 1) are correct, the average yield per laying hen in one quarter is between 10 and 90 eggs. If egg production differs from normal, write an explanation in the row EXPLANATION.	Error
28336	KUI({L_LIND401_Q1}>0 JA {L_LIND301_Q1}>0 JA ROUND(1000*{L_LIND401_Q1}/{L_LIND301_Q1})>=9000 0),SIIS({PMSELGITUS1}!=NULL)	Please make sure that the data on hen egg production (Table 1 row 3 column 1) and the quarterly average number of laying hens (Table 1 row 2 column 1) are correct, the average yield per laying hen in one quarter is between 10 and 90 eggs. If egg production differs from normal, write an explanation in the row EXPLANATION.	Error
28338	KUI({L_LIND401_Q4}>0 JA {L_LIND301_Q4}>0 JA ROUND(1000*{L_LIND401_Q4}/{L_LIND301_Q4})>=9000 0),SIIS({PMSELGITUS4}!=NULL)	Please make sure that the data on hen egg production (Table 1 row 3 column 4) and the quarterly average number of laying hens (Table 1 row 2 column 4) are correct, the average yield per laying hen in one quarter is between 10 and 90 eggs. If egg production differs from normal, write an explanation in the row EXPLANATION.	Error
28339	KUI({L_LIND401_Q2}>0 JA {L_LIND301_Q2}>0 JA ROUND(1000*{L_LIND401_Q2}/{L_LIND301_Q2})>=9000 0),SIIS({PMSELGITUS2}!=NULL)	Please make sure that the data on hen egg production (Table 1 row 3 column 2) and the quarterly average number of laying hens (Table 1 row 2 column 2) are correct, the average yield per laying hen in one quarter is between 10 and 90 eggs. If egg production differs from normal, write an explanation in the row EXPLANATION.	Error
28340	KUI({L_LIND401_Q3}>0 JA {L_LIND301_Q3}>0 JA ROUND(1000*{L_LIND401_Q3}/{L_LIND301_Q3})>=9000 0),SIIS({PMSELGITUS3}!=NULL)	Please make sure that the data on hen egg production (Table 1 row 3 column 3) and the quarterly average number of laying hens (Table 1 row 2 column 3) are correct, the average yield per laying hen in one quarter is between 10 and 90 eggs. If egg production differs from normal, write an explanation in the row EXPLANATION.	Error

Controls in table 2. CHANGE IN THE NUMBER OF POULTRY IN THE REPORTING YEAR

Control ID	Control formula	Clarification	Type of
			error
24174	KUI({L_LIND021}>=0 JA {L_LIND031}>=0), SIIS ({L_LIND031}<={L_LIND021})	Inconsistent data. The number of laying hens at the end of the year (Table 2 row 6) must be smaller than or equal to the number of hens and cocks at the end of the year (Table 2 row 5).	Error
24175	{L_LIND111}+{L_LIND021}={L_LIND011}	Calculation error. The number of poultry at the end of the year (Table 2 row 4) must be equal to the sum of the number of hens and cocks (Table 2 row 5) and other poultry (Table 2 row 7) at the end of the year.	Error

Livestock farming. Poultry

Code of the questionnaire: 14602023

 $Is \ submitted: \ 1st \ quarter \ -\ 10.04.2023; \ 2nd \ quarter \ -\ 10.07.2023; \ 3rd \ quarter \ -\ 10.10.2023; \ 4th \ quarter \ -\ 10.01.2024; \ 4th \ quarter \ quar$

p. 3/4

Control ID	Control formula	Clarification	Type of error
29437	KUI({L_LIND403}>0),SIIS({L_LIND732}+{L_LIND742}+{L_ LIND762}+{L_LIND792}+{L_LIND802}>0)	Inconsistent data. In the case of egg production, the use of eggs must also be indicated.	Error
29438	KUI({L_LIND403}>0),SIIS({L_LIND403}>={L_LIND732}+{L LIND742}+{L_LIND762}+{L_LIND792}+{L_LIND802})	The total egg production must be greater or equal to the sum of eggs sold, used for some other purpose, losses and stock.	Warning

Controls in table 4. TIME SPENT ON FILLING OUT THE QUESTIONNAIRE (incl. for preparing the data, only for the 3rd quarter)

Control ID	Control formula	Clarification	Type of error
33084	{TAITMISEAEGMINUTIT}<=59	Maximum permitted value is 59 minutes. Time exceeding 60 minutes shall be indicated in hours and minutes.	Error
33085	{TAITMISEAEGTUNDI}+{TAITMISEAEGMINUTIT}>0	The time spent on filling in the questionnaire must be recorded and the sum of hours and minutes must be more than 0. The time spent means time spent by all employees to read questionnaire instructions, collect and prepare data and fill in the questionnaire.	Error
33086	{TAITMISEAEGTUNDI}<=999	Maximum permitted value is 999 hours.	Error

Controls across tables

Control ID	Control formula	Clarification	Type of error
24172	KUI ({L_LIND211}>0), SIIS ({L_LIND762}>0)	Empty field. If the number of chicks hatched in holding is indicated (Table 2 row 1), the number of eggs used for hatching must also be indicated (Table 3 row 5).	Warning
24173	KUI ({L_LIND762}>0), SIIS ({L_LIND211}>0)	Empty field. If the number of eggs used for hatching is indicated (Table 3 row 5), the number of chicks hatched in holding must also be indicated (Table 2 row 1).	Warning
24181	{L_LIND211}<={L_LIND762}	Inconsistent data. The number of born chicks (Table 2 row 1) cannot be larger than the number of eggs used for hatching (Table 3 row 5). There is a possibility for exception in the annual calculation.	Warning
25958	KUI ({L_LIND411}>0), SIIS ({L_LIND111}>0)	Empty field. If egg production from other poultry is indicated (Table 1 row 4 column 6), the number of other poultry must also be indicated (Table 2 row 7).	Warning
25975	KUI (({L_LIND021}>0) JA ({L_LIND401}>0)), SIIS ({L_LIND031}>0)	Empty field. If you have indicated the number of hens and cocks at the end of the year (Table 2 row 5) and hen egg production by laying hens (Table 1 row 3_1), it is generally required to also indicate the number of laying hens at the end of the year (Table 2 row 6).	Warning

AUTOSUMS

Autosums in table 1. QUARTERLY DATA ON POULTRY

Row name	Column name	Formula	Clarification
Quarterly average number of laying hens	TOTAL FOR THE REFERENCE YEAR	({L_LIND301_Q1}*91+{L_LIND301_Q2}*91+{L_LIND301_Q3}*92+{L_LIND301_Q4}*92)/365	
Hen egg production, pcs	TOTAL FOR THE REFERENCE YEAR	{L_LIND401_Q1}+{L_LIND401_Q2}+{L_LIND401_Q3}+{L_LIND401_Q4}	
	1st quarter	{L_LIND401_Q1}/{L_LIND301_Q1}	

Contact person: Help desk (contact centre), Phone: 6259 300, E-mail: klienditugi@stat.ee, Postal address: Vabaduse plats 2, 71020 Viljandi

Livestock farming. Poultry

Code of the questionnaire: 14602023

 $Is \ submitted: \ 1st \ quarter \ -\ 10.04.2023; \ 2nd \ quarter \ -\ 10.07.2023; \ 3rd \ quarter \ -\ 10.10.2023; \ 4th \ quarter \ -\ 10.01.2024; \ 4th \ quarter \ quar$

p. 4/4

	2nd guarter	{L LIND401 Q2}/{L LIND301 Q2}	
	3rd quarter	L LIND401 Q3)/(L LIND301 Q3)	
	4th quarter	L LIND401 Q4)/L LIND301 Q4	
Egg production from other poultry, except hens	TOTAL FOR THE REFERENCE YEAR	{L_LIND411_Q1}+{L_LIND411_Q2}+{L_LIND411_Q3}+{L_LIND411_Q4}	

Autosums in table 2. CHANGE IN THE NUMBER OF POULTRY IN THE REPORTING YEAR

Row name	Column name	Formula	Clarification
Number of poultry at the end of the year (from Table 1 row 1)		{L_LIND011_Q4}	
Annual average number of laying hens (from Table 1 row 2)		{L_LIND201}	

Autosums in table 3. USE OF EGGS IN THE REPORTING YEAR

Row name	Column name	Formula	Clarification
Total	Quantity, pcs	{L_LIND401_Q1}+{L_LIND401_Q2}+{L_LIND401_Q3}+{L_LIND401_Q4}+{L_LIND411_Q1}+{L_LIND411_Q2 }+{L_LIND411_Q3}+{L_LIND411_Q4}	