

Contact person: Help desk (contact centre) / Phone: 6259 300 / E-mail: klienditugi@stat.ee / Postal address: Vabaduse plats 2, 71020 Viljandi

Statistical activity: 21206

p. 1/7

Controls and autosums in questionnaire: Milk products

Code of the questionnaire: 13512023 Periodicity: Annual Is submitted: 26.01.2023, data about 2022

Statistics Estonia guarantees the full protection of data submitted.

A field with a grey background has been automatically filled online. The data in this field cannot be changed, they are visible after saving. If the data you entered are inconsistent internally or with the prefilled data, an error message appears upon checking. If errors (warnings) appear, check the data carefully and make corrections. In the case of warnings (if you are sure that the data you entered are correct), click on " Confirm warnings" button and confirm the questionnaire.

Mandatory fields in the questionnaire are marked with a red asterisk.

CONTROLS

Controls in table 1. PRODUCTION OF MILK PRODUCTS

Control ID	Control formula	Clarification	Type of error
14889	KUI ({K_PIIM2700}>0), SIIS ({K_PIIM2701}>0)	Empty field. If the quantity of produced whey (row 51 column 1) is indicated, the volume of milk fat in raw material of whey (row 51 column 2) must also be indicated.	Warning
14895	KUI ({K_PIIM2300}>0), SIIS (ROUND({K_PIIM2301}*100/{K_PIIM2300})=82)	Inconsistent data: if butter and other yellow fat products (row 32 column 1) are indicated, then butter and other yellow fat products must be expressed as equivalent of 82% butter.	Warning
14896	KUI ({K_PIIM2710}+{K_PIIM2720}+{K_PIIM2730}+{K_PIIM274 0}+{K_PIIM2750}>0), SIIS (({K_PIIM2700}>{K_PIIM2710}+{K_PIIM2720}+{K_PIIM27 30}+{K_PIIM2740}+{K_PIIM2750}) VÕI ({K_PIIM2700}<{K_PIIM2710}+{K_PIIM2720}+{K_PIIM273 0}+{K_PIIM2740}+{K_PIIM2750}))	Please make sure that the quantity of produced whey (row 51 column 1) and the produced liquid and concentrated whey, whey in powder or block form, lactose and lactalbumine (rows 52, 53, 54, 55, 56) are correct. The quantity of produced whey may not be the sum of the rest.	Warning
14897	{K_PIIM1140}*1000={K_PIIM1141}*1000+{K_PIIM1142}*1 000+{K_PIIM1143}*1000	Inconsistent data: the total quantity of skimmed milk (row 11) must be equal to the sum of the quantities of skimmed milk processed in different ways (pasteurised, sterilised, uperized) (rows 12, 13, 14).	Error
14898	{K_PIIM2400}*1000={K_PIIM2421}*1000+{K_PIIM2422}*1 000+{K_PIIM2423}*1000+{K_PIIM2424}*1000+{K_PIIM24 25}*1000+{K_PIIM2426}*1000	Inconsistent data: the quantity of produced cheeses (row 43 column 1) must be the sum of the quantities of produced soft, semi-soft, semi-hard, hard and fresh cheeses (rows 44, 45, 46, 47, 48, 49 column 1).	Error
14899	KUI ({K_PIIM2700}>>0), SIIS (({K_PIIM2700}> <k_piim2710}+{k_piim2720}+{k_piim27 30}+{K_PIIM2740}+{K_PIIM2750}) VÕI ({K_PIIM2700}<{K_PIIM2710}+{K_PIIM2720}+{K_PIIM273 0}+{K_PIIM2740}+{K_PIIM2750}))</k_piim2710}+{k_piim2720}+{k_piim27 	Please make sure that the quantity of produced whey (row 51 column 1) and the produced liquid and concentrated whey, whey in powder or block form, lactose and lactalbumine (rows 52, 53, 54, 55, 56) are correct. The quantity of produced whey may not be the sum of the rest.	Warning
14900	{K_PIIM2330}*1000={K_PIIM2331}*1000+{K_PIIM2332}*1 000	Inconsistent data: the quantity of produced other yellow fat products (row 38 column 1) must be the sum of the quantities of reduced-fat butter and quantities of other products (incl. Võideks, Võidel) (rows 39, 40 column 1).	Warning

Code of the questionnaire: 13512023

Is submitted: 26.01.2023, data about 2022

14901	{K_PIIM23301}*1000={K_PIIM23311}*1000+{K_PIIM2332 1}*1000	Inconsistent data: the volume of milk fat in raw material of other yellow fat products (row 38 column 2) must be the sum of the volumes of milk fat in raw material of reduced-fat butter and other products (incl. Võideks, Võidel) (rows 39, 40 column 2).	Warning
14904	KUI ({K_PIIM2331}+{K_PIIM2332}>0),SIIS ({K_PIIM2330}>0)	Empty field. If the quantities of reduced-fat butter (row 39 column 1) and other products (incl. Võideks, Võidel) (row 40 column 1) are indicated, the quantity of other produced yellow fat products (row 38 column 1) must also be indicated.	Error
14905	KUI ({K_PIIM23311}+{K_PIIM23321}>0),SIIS ({K_PIIM23301}>0)	Empty field. If the volumes of milk fat in raw material of reduced-fat butter (row 39 column 2) and other products (incl. Võideks, Võidel) (row 40 column 2) are indicated, the volume of milk fat in raw material of other vellow fat products (row 38 column 2) must also be indicated.	Warning
14908	KUI ({K_PIIM2421}+{K_PIIM2422}+{K_PIIM2423}+{K_PIIM242 4}+{K_PIIM2425}+{K_PIIM2426}>0),SIIS ({K_PIIM2400}>0)	Empty field. If the sum of the quantities of soft, semi-soft, semi-hard, hard and fresh cheeses (rows 44, 45, 46, 47, 48, 49 column 1) are indicated, the quantity of produced cheeses (from all types of milk) (row 43 column 1) must also be indicated.	Error
14909	KUI ({K_PIIM2710}+{K_PIIM2720}+{K_PIIM2730}+{K_PIIM274 0}+{K_PIIM2750}>0).SIIS ({K_PIIM2700}>0)	Empty field. If the quantities of produced liquid and concentrated whey, whey in powder or block form, lactose and lactalbumine (rows 52, 53, 54, 55, 56 column 1) are indicated, the quantity of produced whey (row 51 column 1) must also be indicated.	Error
14910	{K_PIIM2310}*1000={K_PIIM2311}*1000+{K_PIIM2312}*1 000+{K_PIIM2313}*1000	Inconsistent data: butter (fat content 80–90%) (row 33 column 1) must be the sum of natural butter, recombined butter and whey butter (rows 34, 35, 36 column 1).	Warning
14911	{K_PIIM23101}*1000={K_PIIM23111}*1000+{K_PIIM2312 1}*1000+{K_PIIM23131}*1000	Inconsistent data: butter (fat content 80–90%) (row 33 column 2) must be the sum of natural butter, recombined butter and whey butter (rows 34, 35, 36 column 2).	Warning
14914	KUI ({K_PIIM2311}+{K_PIIM2312}+{K_PIIM2313}>0),SIIS ({K_PIIM2310}>0)	Empty field. If natural butter, recombined butter and whey butter (rows 34, 35, 36 column 1) are indicated, butter (fat content 80–90%) (row 33 column 1) must also be indicated.	Error
14915	KUI ({K_PIIM23111}+{K_PIIM23121}+{K_PIIM23131}>0),SIIS ({K_PIIM23101}>0)	Empty field. If natural butter, recombined butter and whey butter (rows 34, 35, 36 column 2) are indicated, butter (fat content 80–90%) (row 33 column 2) must also be indicated.	Error
14918	{K_PIIM2301}*1000={K_PIIM23101}*1000+{K_PIIM23201} *1000+{K_PIIM23301}*1000	Inconsistent data: the volume of milk fat in raw material of butter and other yellow fat products (row 32 column 2) must be the sum of the volumes of milk fat in raw material of butter, rendered butter and butteroil and other yellow fat products (rows 33, 37, 38 column 2).	Warning
14921	KUI ({K_PIIM2310}+{K_PIIM2320}+{K_PIIM2330}>0),SIIS ({K_PIIM2300}>0)	Empty field. If the quantities of butter, rendered butter, butteroil and other yellow fat products (rows 33, 37, 38 column 1) are indicated, the total quantity of butter and other yellow fat products (row 32 column 1) must also be indicated.	Error
14922	KUI ({K_PIIM23101}+{K_PIIM23201}+{K_PIIM23301}>0),SIIS ({K_PIIM2301}>0)	Empty field. If the quantities of butter, rendered butter, butteroil and other yellow fat products (rows 33, 37, 38 column 2) are indicated, the total quantity of butter and other yellow fat products (row 32 column 2) must also be indicated.	Warning
14925	{K_PIIM4000}>={K_PIIM5000}	Inconsistent data: export of milk and cream in bulk to the European Union Member States (row 62 column 1) cannot be larger than the total export of milk and cream in bulk (row 61 column 1).	Error
14926	{K_PIIM4001}>={K_PIIM5001}	Inconsistent data: the volume of milk fat in milk and cream exported in bulk to the European Union Member States (row 62 column 2) cannot be larger than the total volume of milk fat in milk and cream exported in bulk (row 61 column 2).	Warning
14929	KUI ({K_PIIM5000}>0),SIIS ({K_PIIM4000}>0)	Empty field. If export of milk and cream in bulk to the European Union Member States (row 62 column 1) is indicated, the total quantity of exported milk and cream in bulk (row 61 column 1) must also be indicated.	Error
14930	KUI ({K_PIIM5001}>0),SIIS ({K_PIIM4001}>0)	Empty field. If the volume of milk fat in milk and cream exported in bulk to the European Union Member States (row 62 column 2) is indicated, the volume of milk fat in milk and cream exported in bulk (row 61 column 2) must also be indicated.	Warning
14933	{K_PIIM1100}*1000={K_PIIM1110}*1000+{K_PIIM1120}*1 000+{K_PIIM1130}*1000+{K_PIIM1140}*1000	Inconsistent data: total quantity of raw milk, whole milk, semi-skimmed milk and skimmed milk (rows 2, 3, 7, 11 column 1) is the total quantity of produced drinking milk.	Error
14934	{K_PIIM1120}*1000={K_PIIM1121}*1000+{K_PIIM1122}*1 000+{K_PIIM1123}*1000	Inconsistent data: the total quantity of produced whole milk (row 3 column 1) is equal to the sum of the quantities of processed (pasteurised, sterilised and uperized) whole milk (rows 4, 5, 6 column 1).	Error
14935	{K_PIIM1130}*1000={K_PIIM1131}*1000+{K_PIIM1132}*1 000+{K_PIIM1133}*1000	Inconsistent data: the total quantity of produced semi-skimmed milk (1.5–3.5%) (row 7 column 1) is equal to the sum of the quantities of processed (pasteurised, sterilised and uperized) semi-skimmed milk (1.5–3.5%)	Error

p. 2/7

Code of the questionnaire: 13512023

Is submitted: 26.01.2023, data about 2022

		(rows 8, 9, 10 column 1).	
14936	{K_PIIM2400}*1000={K_PIIM2411}*1000+{K_PIIM2412}*1 000	Inconsistent data: the total quantity of produced cheeses (row 43 column 1) must be the sum of the quantities of cheeses produced solely of cows' milk and solely of goats' milk (rows 41, 42 column 1).	Error
14953	{K_PIIM1310}*1000+{K_PIIM1320}*1000={K_PIIM1300}*1 000	Inconsistent data: the total quantity of cream (row 16 column 1) is the sum of the quantities of cream with different fat content (rows 17, 18 column 1).	Error
14954	{K_PIIM1410}*1000+{K_PIIM1420}*1000={K_PIIM1400}*1 000	Inconsistent data: the total quantity of acidified milk (yoghurt, drinkable yoghurt and other products) (row 19 column 1) is the sum of the quantities of acidified milk with additives and without additives (rows 20, 21 column 1).	Warning
14955	KUI({K_PIIM1100}>0), SIIS (((BETWEEN({K_PIIM1101}/{K_PIIM1100}*1000),35,50))	Please make sure that the quantity of produced drinking milk (Table 2 row 1 column 1) and the milk fat content in its raw material (Table 2 row 1 column 2) are correct, the volume of milk fat in drinking milk generally remains between 3.5% and 5.0%.	Warning
15499	KUI ({K_PIIM1100}>0), SIIS({K_PIIM1101}>0)	Empty field. If the quantity of produced drinking milk (row 1 column 1) is indicated, the volume of milk fat in raw material of drinking milk (row 1 column 2) must also be indicated.	Error
15500	KUI ({K_PIIM1200}>0), SIIS({K_PIIM1201}>0)	Empty field. If the quantity of produced buttermilk (row 15 column 1) is indicated, the volume of milk fat in raw material of buttermilk (row 15 column 2) must also be indicated.	Error
15501	KUI ({K_PIIM1310}>0), SIIS({K_PIIM1311}>0)	Empty field. If the quantity of produced cream (row 17 column 1) is indicated, the volume of milk fat in raw material of cream (row 17 column 2) must also be indicated.	Error
15503	KUI ({K_PIIM1410}>0), SIIS({K_PIIM1411}>0)	Empty field. If the quantity of produced acidified milk (row 20 column 1) is indicated, the volume of milk fat in raw material of acidified milk (row 20 column 2) must also be indicated.	Error
15504	KUI ({K_PIIM1420}>0), SIIS({K_PIIM1421}>0)	Empty field. If the quantity of produced acidified milk (row 21 column 1) is indicated, the volume of milk fat in raw material of acidified milk (row 21 column 2) must also be indicated.	Error
15505	KUI ({K_PIIM1500}>0), SIIS({K_PIIM1501}>0)	Empty field. If the quantity of produced drinks with milk base (row 22 column 1) is indicated, the volume of milk fat in raw material of drinks with milk base (row 22 column 2) must also be indicated.	Error
15506	KUI ({K_PIIM1600}>0), SIIS({K_PIIM1601}>0)	Empty field. If the quantity of produced other fresh milk products (row 23 column 1) is indicated, the volume of milk fat in raw material of other fresh milk products (row 23 column 2) must also be indicated.	Error
15507	KUI ({K_PIIM2110}>0), SIIS({K_PIIM2111}>0)	Empty field. If the quantity of produced unsweetened concentrated milk (row 24 column 1) is indicated, the volume of milk fat in raw material of unsweetened concentrated milk (row 24 column 2) must also be indicated.	Error
15508	KUI ({K_PIIM2120}>0), SIIS({K_PIIM2121}>0)	Empty field. If the quantity of produced sweetened concentrated milk (row 25 column 1) is indicated, the volume of milk fat in raw material of sweetened concentrated milk (row 25 column 2) must also be indicated.	Error
15509	KUI ({K_PIIM2210}>0), SIIS({K_PIIM2211}>0)	Empty field. If the quantity of produced cream milk powder (row 26 column 1) is indicated, the volume of milk fat in raw material of cream milk powder (row 26 column 2) must also be indicated.	Error
15510	KUI ({K_PIIM2220}>0), SIIS({K_PIIM2221}>0)	Empty field. If the quantity of produced whole milk powder (row 27 column 1) is indicated, the volume of milk fat in raw material of whole milk powder (row 27 column 2) must also be indicated.	Error
15511	KUI ({K_PIIM2230}>0), SIIS({K_PIIM2231}>0)	Empty field. If the quantity of produced partly skimmed-milk powder (row 28 column 1) is indicated, the volume of milk fat in raw material of partly skimmed-milk powder (row 28 column 2) must also be indicated.	Error
15512	KUI ({K_PIIM2240}>0), SIIS({K_PIIM2241}>0)	Empty field. If the quantity of produced skimmed milk powder (row 29 column 1) is indicated, the volume of milk fat in raw material of skimmed milk powder (row 29 column 2) must also be indicated.	Error
15513	KUI ({K_PIIM2250}>0), SIIS({K_PIIM2251}>0)	Empty field. If the quantity of produced buttermilk powder (row 30 column 1) is indicated, the volume of milk fat in raw material of buttermilk powder (row 30 column 2) must also be indicated.	Error
15514	KUI ({K_PIIM2260}>0), SIIS({K_PIIM2261}>0)	Empty field. If the quantity of produced other powders (incl. whole milk substitute) (row 31 column 1) is indicated, the volume of milk fat in raw material of other powders (row 31 column 2) must also be indicated.	Error
15515	KUI ({K_PIIM2300}>0), SIIS({K_PIIM2301}>0)	Empty field. If the quantities of produced butter and other yellow fat products (row 32 column 1) is indicated, the volume of milk fat in raw material of butter and other yellow fat products (row 32 column 2) must also be indicated.	Error
15516	KUI ({K_PIIM2310}>0), SIIS({K_PIIM23101}>0)	Empty field. If the quantity of produced butter (fat content 80–90%) (row 33 column 1) is indicated, the volume of milk fat in raw material of butter (fat content 80–90%) (row 33 column 2) must also be indicated.	Error
15517	KUI ({K_PIIM2311}>0), SIIS({K_PIIM23111}>0)	Empty field. If the quantity of produced natural butter (row 34 column 1) is indicated, the volume of milk fat in raw material of natural butter (row 34 column 2) must also be indicated.	Error

Code of the questionnaire: 13512023

Is submitted: 26.01.2023, data about 2022

15518	KUI ({K_PIIM2312}>0), SIIS({K_PIIM23121}>0)	Empty field. If the quantity of produced recombined butter (row 35 column 1) is indicated, the volume of milk fat in raw material of recombined butter (row 35 column 2) must also be indicated.	Error
15519	KUI ({K_PIIM2313}>0), SIIS({K_PIIM23131}>0)	Empty field. If the quantity of produced whey butter (row 36 column 1) is indicated, the volume of milk fat in raw material of whey butter (row 36 column 2) must also be indicated.	Error
15520	KUI ({K_PIIM2320}>0), SIIS({K_PIIM23201}>0)	Empty field. If the quantity of produced rendered butter and butteroil (row 37 column 1) is indicated, the volume of milk fat in raw material of rendered butter and butteroil (row 37 column 2) must also be indicated.	Error
15521	KUI ({K_PIIM2331}>0), SIIS({K_PIIM23311}>0)	Empty field. If the quantity of produced reduced-fat butter (row 39 column 1) is indicated, the volume of milk fat in raw material of reduced-fat butter (row 39 column 2) must also be indicated.	Error
15522	KUI ({K_PIIM2332}>0), SIIS({K_PIIM23321}>0)	Empty field. If the quantity of produced other products (incl. Võideks, Võidel) (row 40 column 1) is indicated, the volume of milk fat in raw material of other products (incl. Võideks, Võidel) (row 40 column 2) must also be indicated.	Error
15523	KUI ({K_PIIM2411}>0), SIIS({K_PIIM24111}>0)	Empty field. If the quantity of cheese produced solely from cows' milk (row 41 column 1) is indicated, the volume of milk fat in raw material of cheese produced solely from cows' milk (row 41 column 2) must also be indicated.	Error
15524	KUI ({K_PIIM2412}>0), SIIS({K_PIIM24121}>0)	Empty field. If the quantity of cheese produced solely from goats' milk (row 42 column 1) is indicated, the volume of milk fat in raw material of cheese produced solely from goats' milk (row 42 column 2) must also be indicated.	Error
15525	KUI ({K_PIIM2800}>0), SIIS({K_PIIM2801}>0)	Empty field. If the quantity of produced other products (row 57 column 1) is indicated, the volume of milk fat in raw material of other products (row 57 column 2) must also be indicated.	Error
15526	KUI ({K_PIIM3000}>0), SIIS({K_PIIM3001}>0)	Empty field. If the quantity of skimmed milk and buttermilk returned to agricultural holdings (row 60 column 1) is indicated, the volume of milk fat in raw material of skimmed milk and buttermilk returned to agricultural holdings (row 60 column 2) must also be indicated.	Error
15527	KUI ({K_PIIM4000}>0), SIIS({K_PIIM4001}>0)	Empty field. If the quantity of exported milk and cream in bulk (row 61 column 1) is indicated, the volume of milk fat in raw material of exported milk and cream in bulk (row 61 column 2) must also be indicated.	Error
15528	KUI ({K_PIIM5000}>0), SIIS({K_PIIM5001}>0)	Empty field. If the quantity of milk and cream in bulk exported to the European Union Member States (row 62 column 2) is indicated, the volume of milk fat in milk and cream in bulk exported to the European Union Member States (row 62 column 2) must also be indicated.	Error
15529	KUI ({K_PIIM6000}>0), SIIS({K_PIIM6001}>0)	Empty field. If the quantity of products produced for other uses (row 63 column 1) is indicated, the volume of milk fat in raw material of the products produced for other uses (row 63 column 2) must also be indicated.	Error
15530	KUI ({K_PIIM2330}>0), SIIS({K_PIIM23301}>0)	Empty field. If the quantity of produced other yellow fat products (row 38 column 1) is indicated, the volume of milk fat in raw material of other yellow fat products (row 38 column 2) must also be indicated.	Error
18800	KUI({K_PIIM1310}>0), SIIS(ROUND({K_PIIM1311}/{K_PIIM1310}*100)<29)	Please make sure that the quantity of produced cream (Table 2 row 17 column 1) and the milk fat content therein (Table 2 row 17 column 2) are correct, the volume of milk fat in produced cream must be up to 29%.	Warning
18801	KUI({K_PIIM1320}>0), SIIS(ROUND({K_PIIM1321}/{K_PIIM1320}*100)>=29)	Please make sure that the quantity of produced cream (Table 2 row 18 column 1) and the milk fat content therein (Table 2 row 18 column 2) are correct, the volume of milk fat in produced cream must be 29% or more.	Warning
18802	KUI({K_PIIM2310}>0), SIIS (((BETWEEN(({K_PIIM23101}/{K_PIIM2310})*100),80.90))	Please make sure that the quantity of produced butter (row 33 column 1) and the milk fat content therein (row 33 column 2) are correct, the volume of milk fat in produced butter must be between 80–90%.	Warning
18803	KUI({K_PIIM2311}>0), SIIS(((BETWEEN(({K_PIIM23111}/{K_PIIM2311})*100),80, 90))	Please make sure that the quantity of produced butter (row 34 column 1) and the milk fat content therein (row 34 column 2) are correct, the volume of milk fat in produced natural butter must be between 80–90%.	Warning
18804	KUI({K_PIIM2312}>0), SIIS(((BETWEEN(({K_PIIM23121}/{K_PIIM2312})*100),80, 90))	Please make sure that the quantity of produced butter (row 35 column 1) and the milk fat content therein (row 35 column 2) are correct, the volume of milk fat in produced recombined butter must between 80–90%.	Warning
18805	KUI({K_PIIM2313}>0), SIIS(((BETWEEN(({K_PIIM23131}/{K_PIIM2313})*100),80, 90))	Please make sure that the quantity of produced butter (row 36 column 1) and the milk fat content therein (row 36 column 2) are correct, the volume of milk fat in produced whey butter must be between 80–90%.	Warning
18806	KUÍ({K_PIIM2320}>0), SIIS(ROUND(({K_PIIM23201}/{K_PIIM2320})*100)>85)	Please make sure that the quantity of produced butter (row 37 column 1) and the milk fat content therein (row 37 column 2) are correct, the volume of milk fat in produced rendered butter and butteroil must be more than 85%.	Warning

p. 4/7

Code of the questionnaire: 13512023

Is submitted: 26.01.2023, data about 2022

Controls in table 2. TIME SPENT ON FILLING OUT THE QUESTIONNAIRE (incl. for preparing the data)

Control ID	Control formula	Clarification	Type of error
20182	{TAITMISEAEGTUNDI}+{TAITMISEAEGMINUTIT}>0	The time spent on filling in the questionnaire must be recorded and the sum of hours and minutes must be more than 0. The time spent means time spent by all employees to read questionnaire instructions, collect and prepare data and fill in the questionnaire.	Error
20183	{TAITMISEAEGTUNDI}<=999	Maximum permitted value is 999 hours.	Error
32904	{TAITMISEAEGMINUTIT}<=59	Maximum permitted value is 59 minutes. Time exceeding 60 minutes shall be indicated in hours and minutes.	Error

AUTOSUMS

Autosums in table 1. PRODUCTION OF MILK PRODUCTS

Row name	Column name	Formula	Clarification
TOTAL DRINKING MILK	Produced quantity, t (with precision of at least 0.1)	{K_PIIM1110}+{K_PIIM1120}+{K_PIIM1130}+{K_PIIM1140}	
TOTAL DRINKING MILK	Volume of milk fat, %	{K_PIIM1101}/{K_PIIM1100}*100	
whole milk, fat content of at least 3.5%	Produced quantity, t (with precision of at least 0.1)	{K_PIIM1121}+{K_PIIM1122}+{K_PIIM1123}	
semi-skimmed milk, 1.5–3.5%	Produced quantity, t (with precision of at least 0.1)	{K_PIIM1131}+{K_PIIM1132}+{K_PIIM1133}	
skimmed milk, fat content of up to 0.5%	Produced quantity, t (with precision of at least 0.1)	{K_PIIM1141}+{K_PIIM1142}+{K_PIIM1143}	
Buttermilk	Volume of milk fat. %	{K_PIIM1201}/{K_PIIM1200}*100	
Total cream	Produced quantity, t (with precision of at least 0.1)	{K_PIIM1310}+{K_PIIM1320}	
cream with fat content of up to 29% by weight	Volume of milk fat. %	{K_PIIM1311}/{K_PIIM1310}*100	
cream with fat content over 29% by weight	Volume of milk fat, %	{K_PIIM1321}/{K_PIIM1320}*100	
Total acidified milk (yoghurt, drinkable yoghurt and other products)	Produced quantity, t (with precision of at least 0.1)	{K_PIIM1410}+{K_PIIM1420}	

p. 5/7

Contact person: Help desk (contact centre), Phone: 6259 300, E-mail: klienditugi@stat.ee, Postal address: Vabaduse plats 2, 71020 Viljandi

Milk products

Code of the questionnaire: 13512023

Is submitted: 26.01.2023, data about 2022

acidified milk (yoghurt, drinkable yoghurt and other products) containing additives	Volume of milk fat, %	{K_PIIM1411}/{K_PIIM1410}*100	
acidified milk (yoghurt, drinkable yoghurt and other products) containing no additives	Volume of milk fat, %	{K_PIIM1421}/{K_PIIM1420}*100	
Drinks with a milk base	Volume of milk fat. %	{K_PIIM1501}/{K_PIIM1500}*100	
Other fresh milk products (jellied milks, ice cream and others)	Volume of milk fat, %	{K_PIIM1601}/{K_PIIM1600}*100	
Unsweetened concentrated milk	Volume of milk fat, %	{K_PIIM2111}/{K_PIIM2110}*100	
Sweetened concentrated milk	Volume of milk fat, %	{K_PIIM2121}/{K_PIIM2120}*100	
Cream milk powder	Volume of milk fat. %	{K_PIIM2211}/{K_PIIM2210}*100	
Whole milk powder	Volume of milk fat. %	{K_PIIM2221}/{K_PIIM2220}*100	
Partly skimmed-milk powder	Volume of milk fat, %	{K_PIIM2231}/{K_PIIM2230}*100	
Skimmed milk powder	Volume of milk fat. %	{K_PIIM2241}/{K_PIIM2240}*100	
Buttermilk powder	Volume of milk fat. %	{K_PIIM2251}/{K_PIIM2250}*100	
Other powders (incl. whole milk substitute)	Volume of milk fat, %	{K_PIIM2261}/{K_PIIM2260}*100	
Total butter and other yellow fat products, expressed in butter equivalent with a milk fat content equal to 82%	Produced quantity, t (with precision of at least 0.1)	({K_PIIM23101}+{K_PIIM23201}+{K_PIIM23301})/82*100	
Total butter and other yellow fat products, expressed in butter equivalent with a milk fat content equal to 82%	Volume of milk fat, %	{K_PIIM2301}/{K_PIIM2300}*100	
butter, fat content 80–90%	Produced quantity, t (with precision of at least 0.1)	{K_PIIM2311}+{K_PIIM2312}+{K_PIIM2313}	
butter, fat content 80-90%	Volume of milk fat. %	{K_PIIM23101}/{K_PIIM2310}*100	
natural butter	Volume of milk fat, %	{K_PIIM23111}/{K_PIIM2311}*100	
recombined butter	Volume of milk fat, %	{K_PIIM23121}/{K_PIIM2312}*100	
whey butter	Volume of milk fat, %	{K_PIIM23131}/{K_PIIM2313}*100	
rendered butter and	Volume of milk	{K_PIIM23201}/{K_PIIM2320}*100	

Contact person: Help desk (contact centre), Phone: 6259 300, E-mail: klienditugi@stat.ee, Postal address: Vabaduse plats 2, 71020 Viljandi

Milk products

Code of the questionnaire: 13512023

Is submitted: 26.01.2023, data about 2022

			1
butteroil	fat, %		
reduced-fat butter, milk fat content of 10–80%	Produced quantity, t (with precision of at least 0.1)	{K_PIIM2331}+{K_PIIM2332}	
reduced-fat butter, milk fat content of 10–80%	Volume of milk fat, %	{K_PIIM23301}/{K_PIIM2330}*100	
reduced-fat butter, milk fat content of less than 80%	Volume of milk fat, %	{K_PIIM23311}/{K_PIIM2331}*100	
other (incl. võideks, võidel)	Volume of milk fat, %	{K_PIIM23321}/{K_PIIM2332}*100	
Only cheese obtained from cows' milk	Volume of milk fat, %	{K_PIIM24111}/{K_PIIM2411}*100	
Only cheese obtained from goats' milk	Volume of milk fat, %	{K_PIIM24121}/{K_PIIM2412}*100	
Total cheeses (from all types of milk)	Produced quantity, t (with precision of at least 0.1)	{K_PIIM2421}+{K_PIIM2422}+{K_PIIM2423}+{K_PIIM2424}+{K_PIIM2425}+{K_PIIM2426}	
Total whey, as equivalent of liquid whey	Volume of milk fat, %	{K_PIIM2701}/{K_PIIM2700}*100	
Other produced products	Volume of milk fat. %	{K_PIIM2801}/{K_PIIM2800}*100	
Skimmed milk and buttermilk returned to agricultural holdings	Volume of milk fat, %	{K_PIIM3001}/{K_PIIM3000}*100	
Export of whole milk, skimmed milk and cream, in bulk	Volume of milk fat, %	{K_PIIM4001}/{K_PIIM4000}*100	
to European Union Member States	Volume of milk fat, %	{K_PIIM5001}/{K_PIIM5000}*100	
Use of whole milk and skimmed milk outside dairy industry	Volume of milk fat, %	{K_PIIM6001}/{K_PIIM6000}*100	

p. 7/7